

Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices

CACTI

SEEDS

1930

1931



Seeds imported and exported

Cactus and succulents only

Cacti flora of different countries

- 1. Mexican collections: 20 different kinds a total of, 600 seeds \$ 1.00
- 2. Argentina collection: 12 different kinds a total of, 300 seeds \$ 1.00
- 3. Venezuela/Colombia collection: 6 different kinds \$ 1.00
- 4. Boliva/Chili collection: 5 different kinds \$ 1.00
- 5. Brazil/Uruguay collection: 6 different kinds \$ 1.00
- 6. Peru-Collection not completed

Cultural directions with every collection

Hundreds of our customers write of the pleasure derived from raising cactus from seed, in the home, using simple methods. Plant a beginners assortment of cacti seed. The result is a beautiful collection of plants. It is money well spent. Watching cacti develop from a seed provides a most interesting pastime. Our seeds are A No. 1 fresh seed. Last season's crop. If given proper care you may be sure they will grow well. When ordering, only the number of seed and quantity is necessary. We have only a limited amount of certain varieties. If temporarily out of a time of ordering, these will be supplied as soon as possible.

Nurserymen, write for prices in quantities larger than listed.

T. R. SCHROEDER

RARE CACTUS-SEEDS & SEEDLINGS

4821 STRONG ST. (JEFF. STA.) CHICAGO ILL.


TELEPHONE PENSECOLA 7142



Echinocactus electracanthus
(No. 118) heavy spined, good growing




Astrophytum capricorne v. senile
(No. 11 d) blossoms shining yellow with red, throat



Echinocactus hexaedrophorus
(No. 135) heavy spined, large white flowering

No.	Rarities	25 s.	50 s.	250 s.	500 s.
		\$	\$	\$	\$
1	Ariocarpus fissuratus . . .	—	—	40	1.90 3.60
1a	" Kotschubeyanus . . .	—	—	30	1.45 2.70
2	" Lloydii	—	—	40	—
5a	" strobiliformis, new . . .	—	—	40	1.90 3.60
5b	" trigonus	—	—	40	1.90 3.60
6f	Aztekium Ritteri	—	—	40	1.90 3.60
7	Cephalocereus senilis, the true long haired, old man cactus, after few weeks long white hairs appear	—	—	20	—95 1.80
8	Cephalocereus Palmeri, the close haired Cephalocereus. The seedlings are yellow spined	—	—	35	1.70 3.15
9	Pilocereus erythrocephalus (Denmoza) wonderful red spines	—	—	35	1.70 3.15
10	Astrophytum asterias . . .	—	—	60	1.45 9. —
10b	" asterias x capricorne . . .	—	—	1.50	—
10d	" " senile x asterias . . .	—	—	80	1.50 —
10e	" " minor x asterias . . .	—	—	80	1.50 —
10g	" myriostigma f. ab-ab. x asterias	—	—	80	1.50 —
11	" asterias hybrid	—	—	80	—
11b	" capricorne	—	—	60	1. —
11c	" " minor	—	—	80	—
11d	" " senile	—	—	60	1. —
11e	" " aureum	—	—	80	—
11f	" " var. crassispina	—	—	60	1. —
12	" myriostigma subsp. potosina (Bishops cap)	—	—	80	1.50 7.40 13.50
12a	" " ornatum	—	—	80	1.50 7.40 13.50
12c	" " myriostigma 4 ribbed	—	—	80	1.50 7.40 13.50
12d	" " subsp. coahuilensis (red spined)	—	—	80	1.50 7.40 13.50
12e	" " subsp. tulensis, (spiral form)	—	—	65	1.20 5.70 10.80
12f	" " subsp. tamaulensis, easy growing	—	—	65	1.20 5.70 10.80
12h	" " mixed, 5000 seeds \$ 64.	—	—	80	3.80 7.20
13	Obregonia Denegrii	—	—	50	2.40 4.50
13a	Haagea Schwartzii	—	—	60	1.45 7.5 9. —
13b	Leuchtenbergia principis	—	—	60	1.45 7.5 9. —
13d	" caesius	—	—	60	2.85 5.40
13e	" Neryi, leichtwachsend	—	—	80	—
13g	" amoenus	—	—	40	1.90 3.60
13h	" Maxonii	—	—	80	3.80 7.20
13m	Oreocereus Irigoyeni, new, close haired, like Piloc. Dautwitzii	1.20	2. —	8.50	16. —
14	" Sanagasta (albiflora)	—	—	60	1. —
14a	Pelecypora pectinata	—	—	60	2.85 5.40
14g	Rhipsalis lumbricoides	—	—	80	3.80 —



Cephalocereus senilis
(No. 7) the true long haired "old man cactus"



Pilocereus erythrocephalus
(No. 9) red and white spines red blossoms

No.	Cereus (continuation)	50 s.	250 s.	500 s.	5000 s.
		\$	\$	\$	\$
17	chiloensis	—	—	90	4.30 8. —
18	coerulescens	—	—	35	1.70 3.15 28. —
19	chiotilla	—	—	25	1.20 2.25 20. —
19a	columna — Trajanii	—	—	50	2.40 4.50 —
20	Coryne, hairy spined	—	—	30	1.45 2.70 24. —
21	Dumortieri	—	—	45	2.15 4. — 36. —
21d	del Moralii, easy growing	—	—	25	1.20 2.25 20. —
21f	eburneus, heavy spined (Venezuela)	—	—	60	2.85 5.40 —
22	eburneus	—	—	40	1.90 3.60 32. —
26	Forbesii, good for beginn.	—	—	30	1.45 2.70 24. —
27	Funkianus (Chile)	—	—	45	2.15 4. — 36. —
29	geometrizarans, wonderful blue seedlings	—	—	15	—70 1.35 12. —
42	giganteus (Carnegia)	—	—	25	1.20 2.25 15. —
42b	gladius	—	—	40	1.90 3.60 —
43	grandiflorus, "Queen of the night" bloomer. Many blossoms the 4th year. Keep seedlings shaded warm and moist	—	—	50	2.40 4.50 40. —
44	griseus, wonderful white from Venezuela	—	—	70	3.30 6.30 —
45	Hollianus	—	—	40	1.90 3.60 32. —
48b	Hildmannianus	—	—	30	1.45 2.70 —
51	lamprochlorus	—	—	45	2.15 4. —
51a	lepidotus	—	—	60	2.85 5.40 —
53	marmoratus	—	—	45	2.15 4. —
57b	nycticalus, "prince of the Night"	—	—	40	1.90 3.60 32. —
58	Pasacana, Bolivian column kind, in old age forms white hairs	—	—	15	—70 1.35 12. —
58a	Pasacana var. albicephala	—	—	30	1.45 2.70 —
60	pecten aboriginum, largest seed. Seedlings grow very fast	—	—	60	2.85 5.40 —
61	peruvianus	—	—	20	—95 1.80 16. —
61a	Pitahaya	—	—	25	1.20 2.25 20. —
63	pruinotus	—	—	30	1.45 2.70 24. —
64	rhodoleucanthus	—	—	55	2.60 5. —
64a	Schottii	—	—	50	2.40 4.50 40. —
64b	Seidellii	—	—	80	3.80 7.20 —
65	Spadianus, best for grafting	—	—	30	1.40 2.70 24. —
65b	spinibarbis	—	—	60	2.85 5.40 —
66	stenogonus	—	—	25	1.20 2.25 —
69	Straussii (Pilocereus) white column cactus, much desired	—	—	80	3.60 7. — 66. —
70	strigosus	—	—	50	2.40 4.50 —
75	Terscheckii	—	—	55	2.60 5. —
78	thelegonoides	—	—	40	1.90 3.60 32. —
82	triangularis	—	—	20	—95 1.80 —
82c	usitatus, rare	—	—	70	3.30 6.30 —
84a	Weberi	—	—	40	1.90 3.60 —
85	many kinds mixed	—	—	10	—35 6.0 5. —

No.	Echinocactus	50 s.	250 s.	500 s.	5000 s.
		\$	\$	\$	\$
92	bicolor	—	—	30	1.40 2.70 24. —
96	Bodenbenderianus	—	—	60	2.85 5.40 —
99	centerius	—	—	30	2.40 4.50 —
99a	ceratistes (Eriosyce)	—	—	65	3.20 6. —
102	conothelos, wonderful, with long white spines blossoms easily when 4 cm in diameter	—	—	60	2.85 5.40 —



Echinocactus ingens
(No. 142-144) long spined, yellow flowering



Cereus aureispinus
(No. 15d) yellow spined, easy blooming



Echinocactus coptonogonus
(No. 103) exceptional long bent spines, dark purple blossoms, with light stripes, Mexican

Echinocactus (continuation)		50 s.	250 s.	500 s.	5000 s.
No.		\$	\$	\$	\$
103	coptonogonus	-.50	2.40	4.50	40.-
104	corniger	-.15	-.70	1.35	12.-
105	chilensis	1.20	5.50	10.-	—
108	crispatus	-.30	1.45	2.70	24.-
110	cupreatus (Chile) dark fleshy	1.-	4.75	9.-	—
115	De Laetii, fine flowering	-.40	1.90	3.60	32.-
116b	denudatus var. Anisitsii	-.60	—	—	—
117c	ebenacanthus	-.50	—	—	—
117d	echidne	-.20	-.95	1.80	16.-
118	electracanthus	-.20	-.95	1.80	16.-
120	flavocanthus	-.60	—	—	—
120a	Fiedlerianus (Chile)	-.80	3.80	7.20	—
120c	loricatus	-.55	2.60	5.-	—
121b	garra de leon, claw the lion, like E. peninsulæ	-.40	1.90	3.60	32.-
123	gibbosus	-.45	2.15	4.-	36.-
123b	gibbosus v. caespitosa	-.45	2.15	4.-	36.-
123d	gibbosus v. ferox	-.65	3.20	6.-	—
123e	gibbosus v. ferox cristata	1.-	4.75	9.-	—
125b	gibbosus v. reducta	-.65	3.20	6.-	—
127	Gieseldortianus, novelty	1.20	—	—	—
127c	gladiatus	-.40	1.90	3.60	32.-
128	gracillimus	-.60	—	—	—
129	Grossei (Paraguay)	-.55	2.60	5.-	—
130	Grusonii, golden yellow, barrel cactus, seedlings reddish color at first	-.30	1.45	2.70	24.-
132	haematacanthus	-.40	1.90	3.60	—
133	Haselbergii (Brasil)	1.-	—	—	—
135	hexaedrophorus	-.30	1.45	2.70	24.-
140	Joensianus	-.50	—	—	—
142	ingens	-.10	-.45	-.90	8.-
143	ingens v. Palmeri	-.10	-.45	-.90	8.-
144	ingens v. Visnaga	-.10	-.45	-.90	8.-
144a	Knebeli	-.55	2.60	5.-	—
144b	Kurtzianus	-.40	1.90	3.60	32.-
145	korethroides, <i>Werd. sp. nova in lit.</i>	-.65	3.20	6.-	—
148	Lenninghausii	-.90	4.30	8.10	—
149	Lloydii	-.40	1.90	3.60	—
150	longithamatus	-.10	-.45	-.90	8.-
150c	loricatus, novelty, very beautiful	-.40	1.90	3.60	32.-
151	Maassii, first time offered bright green, yellow hooked spines, blossoms red	-.55	2.60	5.-	45.-
151c	megarithus	-.50	2.40	4.50	—
153	longithamatus v. papyracantha, free flowering	-.15	-.70	1.35	12.-
153b	microspermus, very small seeds	-.40	1.90	3.60	32.-
153d	Michoga	-.35	1.40	3.-	27.-
153e	microspermus v. sanguiniflora	-.90	4.30	8.-	56.-
153f	minusculus, blossoms the second year	-.30	1.40	2.70	24.-
153h	Monvillei	-.30	1.45	2.70	24.-
154	multicostatus	-.30	1.45	2.70	24.-
154b	multiflorus, one of the nicest Echinocactus	-.40	1.90	3.60	32.-
156	Mathssonii	-.40	1.90	3.60	32.-
158	multiflorus v. hybopleura	-.40	1.90	3.60	32.-
159	nidulans	-.60	2.85	5.40	—
159b	nivosus (Microspermia)	-.90	4.30	8.10	—
162	Otonis v. multiflorus	-.35	1.70	3.15	28.-
163	pampeanus	-.50	2.40	4.50	40.-



Cereus candicans
(No. 16a) strong yellow spined, large blossoms, column, 8 cm indiameter



Echinocactus gibbosus
(No. 123) greatly desired. Wonderful two colored spines large blossoms

Echinocactus (continuation)		50 s.	250 s.	500 s.	5000 s.
No.		\$	\$	\$	\$
167	pilosus, red spined	-.10	-.45	-.90	8.-
167c	phyllacanthus	-.30	1.45	2.70	—
172	pulcherrimus	-.55	2.60	5.-	—
173	Quehlianus, many blossoms	-.40	1.90	3.60	—
173c	rafaelensis	-.30	1.45	2.70	24.-
176	robustus	-.30	1.45	2.70	24.-
176a	Saglionis	-.30	1.45	2.70	24.-
176b	Sandillon, beautiful Chilean variety	-.40	1.90	3.60	32.-
176d	Saussieri	-.40	1.90	3.60	—
177a	Scheerli	-.50	2.40	4.50	40.-
178	Schickendantzii	-.30	1.45	2.70	24.-
178b	Schumannianus, gold brown spined	-.55	2.60	5.-	45.-
179	scopa ruberrimus, wonderful white and red spines	-.55	2.60	5.-	—
179b	senilis, very rare, from Chile	-.90	4.30	8.10	—
180	setispinus	-.35	1.70	3.15	28.-
180a	setispinus v. cachet	-.40	1.90	3.60	—
180c	'Spegazzinii' Rose	-.90	4.30	8.-	—
181a	Smithii (Thelocactus)	-.80	3.80	7.20	—
181b	sinuatus	-.60	—	—	—
181c	Sutterianus	-.50	2.40	4.50	—
181e	stellatus, beautiful spined	-.60	2.85	5.40	—
181f	Stuckertii, red flowers	-.60	2.85	5.40	—
182	submammosus	-.70	3.30	6.-	—
183b	Straussianus, blackspined many yellow blossoms	-.40	1.90	3.60	32.-
184	tensexis	-.40	1.90	3.60	32.-
185	tulensis	-.60	—	—	—
186	Townsendianus	-.60	—	—	—
186b	Trollietii	-.30	1.45	2.70	24.-
188a	uncinatus v. Wrightii	-.30	1.45	2.70	24.-
189	unguispinus	-.30	1.45	2.70	24.-
190	Ursellianus	-.60	—	—	—
197	zacatecasensis	-.25	1.20	2.55	20.-
198	many kinds mixed	-.10	-.40	-.75	6.-

Echinocereus

216	chloranthus	-.50	2.40	4.50	40.-
225	De Laetii	-.30	1.45	2.70	24.-
231	paucispinus	-.60	2.85	5.40	—
235	pectinatus	-.40	1.90	3.60	—
236	pectinatus v. caespitosa	-.40	1.90	3.60	—
238	pectinatus v. rigidissima	-.30	1.45	2.70	—
243	phoeniceus	-.40	1.90	3.60	32.-
245	procumbens	-.30	1.45	2.70	—
246	Reichenbachii	-.60	2.85	5.40	—
248	sarissophorus	-.40	1.90	3.60	—
249	Scheerli	-.30	1.45	2.70	24.-
250	stramineus	-.20	-.95	1.80	16.-
254	many kinds mixed	-.10	-.40	-.75	6.-

Echinopsis

262	ancistrophora	1.75	—	—	—
263	aurea	-.50	2.40	4.50	—
272	campylacantha	-.30	1.45	2.70	24.-
273	campylacantha v. cordobensis	-.30	1.45	2.70	24.-
275	Ducis Pauli (Lobivia) wonderful variety, very long spines	1.20	5.50	10.-	70.-



Echinopsis formosa
(No. 279 c.) wonderful kind with long spines



Echinocactus Grusonii
(No. 130) close yellow spines, easy growing, much desired




Mamillaria Zeyeriana
(No. 540) strong spined, fast growing

Echinopsis (continuation)				
No.	50 s.	250 s.	500 s.	5000 s.
	\$	\$	\$	\$
278	-.40	1.90	3.60	32.-
279c				
formosa, extremely long spined	-.30	1.45	2.70	24.-
279d formosissima	-.40	1.90	3.60	32.-
283a Graulichii, white blossoms (Lobivia)	-.90	4.30	8.-	---
284d leucantha, heavy spined	-.40	1.90	3.60	32.-
291 oxygona	-.30	1.45	2.70	24.-
294 rhodacantha, red spines	-.20	-.95	1.80	16.-
295 rhodotrida v. argentinensis	-.50	2.40	4.50	---
297 Shafferi (Lobivia)	-.90	4.30	8.-	---
299 Schickendantzii, good for grafting	-.50	2.40	4.50	---
300 spiniflora	-.70	3.30	6.30	---
301 triumphans	-.20	-.95	1.80	---
302 Staffeni (Lobivia)	-.90	4.30	8.-	---
304 tubiflora	-.40	1.90	3.60	---
309 valida	-.50	2.40	4.50	---
310 Wilkensis	-.40	1.90	3.60	---
314 Zuccariniana	-.30	1.45	2.70	---
320 many kinds mixed	-.10	-.45	-.90	8.-

Mamillaria

348 albicoma, new	-.80	---	---	---
353 angularis v. compressa	-.30	1.45	2.70	24.-
365 candida, beautiful, white globular, rose blossoms	-.30	1.45	2.70	24.-
369a carnea	-.40	1.90	3.60	32.-
372 centricirra	-.20	-.95	1.80	16.-
377 chlorantha	-.40	---	---	---
378 chionocephala	-.25	1.20	2.25	20.-
379 Collina	-.40	1.90	3.60	---
382 coronaria	-.40	1.90	3.60	---
385 crassispina	-.40	1.90	3.60	32.-
389 decipiens	-.50	---	---	---
391 ditoca	-.40	---	---	---
395 echinoidea	-.30	1.45	2.70	24.-
396 elegans	-.20	-.95	1.80	16.-
398a elongata var. anguinea	-.50	---	---	---
404 fuscata	-.60	---	---	---
413 Gützowiana, scarce	2.50	---	---	---
416 grandiflora	-.20	-.90	1.80	16.-
419 Haageana, white spines with black tips	-.40	1.90	3.60	32.-
419a Heeseana	-.30	1.45	2.70	24.-
421 Heyderi appanata, easy growing	-.20	-.95	1.80	16.-
422 hidalgensis	-.50	---	---	---
423 hemisphaerica	-.30	---	---	---
425 Karwinskyana	-.60	---	---	---
427 Kunthii	-.50	2.40	4.50	40.-
429b lanata	-.40	1.90	3.60	32.-
431 leona	-.50	---	---	---
433 Lloydii	-.40	---	---	---
434 longimamma	-.50	2.40	4.50	---
436 Lesanierii, rich blossoms	-.40	1.90	3.60	---
438 longiflora	-.60	---	---	---
442. Mainae, the best importation this year, gold yellow hooked spines, medium large blossoms, white with violet stripes	-.90	---	---	---
444 melanacantha	-.50	---	---	---
452 montana	-.40	---	---	---
457b nivea	-.50	---	---	---



Echinopsis chionylacantha
(No. 272) long tubed blossoms, with strong bent spines



Echinocactus Schickendantzii
(No. 178) profuse bloomers, many colored spines

Mamillaria (continuation)				
No.	50 s.	250 s.	500 s.	5000 s.
	\$	\$	\$	\$
459 Mölleriana, beautiful with hooked spines	-.50	2.40	4.50	40.-
460 Ocamponis	-.60	---	---	---
462 Mühlbaueriana, free flowering, new, brownish blossoms, white and red spines	-.60	2.85	5.40	---
464 Ottonis, large blossoms	-.40	1.90	3.60	---
465 pachythele	-.50	---	---	---
466 Palmeri	-.30	1.45	2.70	24.-
470 Parkinsonii	-.40	1.90	3.60	---
472 perbella, rare	-.80	---	---	---
472b Pfeifferi	-.30	---	---	---
474 plumosa, beautiful, feathery, plumed plant	-.50	---	---	---
475 Pringlei, close yellow spines	-.40	1.90	3.60	---
479 Pottisi, column formed	-.40	1.90	3.60	---
479c Potosina	-.40	1.90	3.60	---
481 pseudoperbella	-.50	2.40	4.50	---
491 recurvata (Coryphantha)	-.80	---	---	---
492 recurvispina	-.20	-.95	1.80	---
494 rhodantha, quick growing	-.30	1.45	2.70	---
497b rosso-alba, two colored spines	-.40	1.90	3.60	---
498 Schiedeana, very rare, similar to plumosa	-.80	---	---	---
499 Scrippsiana	-.80	---	---	---
506 simplex (Venezuela)	-.60	2.85	5.40	---
506b Sheldonii	-.60	---	---	---
526 uncinata	-.30	1.45	2.70	24.-
529b Vaupeliana, new large flowering	-.30	1.45	2.70	24.-
532 Viereckii, new	-.60	2.85	5.40	---
538 Wißmannii	-.50	---	---	---
540 Zeyeriana	-.40	1.90	3.60	32.-
542 many kinds mixed	-.10	-.40	-.75	6.-

Opuntia

563 Arastradillo	-.20	-.95	1.80	16.-
564 aoracantha, long black spines	-.50	2.40	4.50	40.-
566 Amyclea	-.40	1.90	3.60	32.-
572 chacoensis	-.35	---	---	---
572d cardenche	-.40	1.90	3.60	---
578 ficus indica	-.15	-.70	1.35	---
578a duraznillo	-.20	-.95	1.80	---
578b duraznillo blanco	-.30	---	---	---
578c " rosa	-.20	-.95	1.80	16.-
578f morada, new	-.40	1.90	3.60	32.-
580 de castillo blanca	-.30	1.45	2.70	---
588 frutescens, elegant plant	-.30	1.45	2.70	---
590 Hildmannii	-.60	---	---	---
590d hyltiscantha, close laying spines	-.30	1.45	2.70	---
590e ignescens	-.60	2.85	5.40	---
591 imbricata	-.20	-.95	1.80	16.-
592 inermis (Argentina)	-.20	-.95	1.80	16.-
592b Kleiniae	-.60	---	---	---
593c Jocoquilla	-.30	1.45	2.70	---
605 microdasys	-.30	1.45	2.70	---
606 " v. rufida	-.50	2.40	4.50	---
608 ovata, interesting globular opuntia	-.40	1.90	3.60	32.-
610 Pentlandii longispina, very rare	1.20	---	---	---
611 pilifera	-.50	2.40	4.50	---
612 quija	-.30	1.45	2.70	---



Echinocactus microspermus
(No. 153b) very free flowering, blossoms yellow



Euphorbia bupleurifolia!
(No. 945) wonderful Euphorbia, easy to grow from seed



Echinocactus Saglionis
(No. 176a) strong spines. Blue green globular cacti with heavy free flowering, pink blossoms

Opuntia (continuation)		50 s.	250 s.	500 s.	5000 s.
No.		\$	\$	\$	\$
613	Quimilo	-.50			
615	Rafinesquiana, hardy	-.15			
616	rastrera	-.40			
620d	tapona	-.50			
621	texana	-.40			
622	tomentosa	-.30			
624c	tuna azul	-.50			
626a	tuna colorada	-.40			
626f	tuna pachona	-.25			
629g	Weberi, rare	-.60	2.85	5.40	
629i	vulgaris, hardy	-.15	-.70	1.35	12.
627	many kinds mixed	-.10	-.30	-.50	4.

Phyllocactus


645	alatus, Deutsche Kaiserin	-.50	2.40	4.50	
660	Hybride mixed, large blossoming	-.25	1.20	2.25	20.

Pilocereus

666	albispinus	-.90	4.30	8.10	
666b	Celsianus var. rubriflora, wonderful, hairy, strong spines	-.80	3.80	7.20	64.
667	chrysacanthus	-.55	2.60	5.	44.
668	colombianus	-.80	3.80	7.20	
669	euphorbioides	-.50	2.40	4.50	
670	exerens	-.45	2.15	4.	
677	Moritzianus	-.90	4.30	8.10	
677a	Remolinsis	-.90	4.30	8.10	
677b	robinii	1.20	5.70	10.	
677c	Russelianus	-.90			
678a	Tetetzto	-.40	1.90		
679	Trollii, red spines. The best find of the year	-.90	4.30	8.10	
680	many kinds mixed, Cephalocereus included, also other new kinds seldom included in mixtures	-.25	-.95	1.80	16.



Pilocereus Celsianus var. rubriflora
(No. 666b) hairy and heavily spined, red blossoms



Echinocactus Strausianus
(No. 183b) dark spined yellow blossoms

Cacti mixture

684	all kinds, unnamed varieties are included, also many good kinds of which there are too few to list	-.10	-.30	-.50	4.
-----	--	------	------	------	----

Succulent seeds

		50 s.	500 s.	5000 s.
		\$	\$	\$
No.				
700	Agave albicans	-.30		
710	" Beaucarnea	-.20	1.80	
716	" caespitosa	-.20		
718	" chiapensis	-.30		
724	" ferax	-.30	2.70	
734	" Ghiesbreghtii	-.30	2.70	
740	" horrida	-.20	1.80	
741b	" ingens	-.30	2.70	
742	" hytrix	-.20	1.80	
747	" lophantha	-.20		


Succulent seeds (continuation)

		50 s.	500 s.	5000 s.
		\$	\$	\$
No.				
749	Agave macracantha	-.25	2.25	
755	" mitraeiformis	-.20	1.80	
756	" Nissonii	-.20	1.80	
758	" polyacantha	-.20	1.80	
769	" stenophylla	-.40		
773	" Verschaefeltii	-.30	2.70	
775	" Victoriae Reginae	-.50		
779	" xylonantha	-.30		
781	" many kinds mixed	-.10	-.80	6.
802	Aloe Davyana	-.20	1.80	
820	" Hanburyana	-.20	1.80	16.
841	" pretoriensis	-.30	2.70	
846	" saponaria	-.20	1.80	
854	" striata	-.30		
866	" variegata 10 seeds	-.40		
874	" many kinds mixed	-.15	1.35	
880	Anacampteros filamentosa	-.20	1.80	
882	" hispidula	-.40		
883	Bonaparteae hystrix	-.20		
883b	Caralluma Leendertziae	-.60		
885	Cotyledon farinosum	-.40		
894	Dasyliiron Wheeleri	-.15	.90	8.
895	" sp. nova	-.20		
911	Echeveria Desmetiana	-.20	1.80	15.
939	" setosa	-.30	2.70	
945	Euphorbia bupleurifolia, very small crop. (Not always in stock)			
	1 seed	-.50		
946	Euphorbia canariensis	-.80		
956	Euphorbia obesa, small crop (Not always in stock)			
	2 seeds	-.50		
1004	Gasteria marmorata	-.50		
1042	" mixed	-.15	1.35	12.
1045	Grenovia gracilis	-.15	-.90	8.
1068	Haworthia mixed	-.40	3.60	
1080	Kalanchoe thyrsiflora	-.10	-.45	4.
1300	Sempervivum Burchurchii	-.40	3.	
1305	" californicum	-.30	2.	
1307	" Castello Paivae	-.40	3.	
1319	" hierrense	-.40	3.	
1450	Yucca Draconis	-.20		
1468	" treculeana	-.20		

Mesembrianthemum


Much easier to raise from seed than cacti very interesting. Most plant blossoms the 1st and 2nd year.

		25 s.	50 s.	500 s.
		\$	\$	\$
1515	Apтения cordifolia L.	-.20		
1520	Argyroderma Braunsii Schw.	-.80		
1532	" Margaretae Schw.	-.80	1.50	
1546	" testiculare N. E. Br.	-.55	1.	
1549	Aridaria brevifolia L. Bol.	-.45	-.80	
1551	" pentagona L. Bol.	-.45	-.80	
1552	Carpobrotus edulis L., interesting leaf form, easy to raise from seed	-.10	-.90	
1562	Cephalophyllum acutum Dtr.	-.55	1.	9.
1589	Cheiridopsis candidissima N. E. Br.	-.55	1.	
1591	" cigaretifera Schw.	-.45	-.80	7.20
1594	" Derenbergiana Schw.	-.50	-.90	
1602	" peculiaris N. E. Br., on the beautiful	-.80	1.50	



Mamillaria elegans

(No. 396) white spined with red blossom crown



Seedlings

Many seedlings may be started in one pan among a collection of larger cacti, growing a good beginning for a complete collection



Astrophyllum ornatum

wonderful white speckled body yellowish spined. Silkygloss yellow red throated blossoms

Mesembrianthemum (continuat.)		25s.	50s.	500s.
No.		\$	\$	\$
1613	Cheiridopsis Richardiana L. Bol.	-.80	1.50	---
1618	Conophyllum calculus Berger, globular form	1.10	2.	---
1696	Cylindrophyllum calami- forme Schw.	-.45	-.80	---
1705	Delosperma Steylerae	-.55	1.	---
1709	Dinteranthus puberulus N. E. Br.	1.10	2.	---
1740	Ebracteola Montis Moltke Dtr. et. Schw.	---	-.50	---
1741	" Montis Moltke var. alba	---	-.50	---
1755	Faucaria tigrina Schw., Tiger- radchen	1.10	2.	---
1765	Fenestraria rhopalophylla N. E. Br.	-.80	1.50	---
1770	Gibbaeum album N. E. Br.	1.60	3.	---
1772	" dispar N. E. Br.	1.10	2.	---
1775b	" spec. nova (Nelli?)	1.60	---	---
1799	Herreora hesperantha Dtr. et. Schw.	-.55	---	---
1803	" Puttkameriana Dtr. et. Schw., var. glabrior	-.50	---	---
1806	Hymenocylus Herrei Schw.	-.45	-.80	7.20
1807	" purpureo-croceus Schw.	-.60	---	---
1808	Juttadinteria albata L. Bol., white blossoms	-.80	1.50	---
1809	" proxima L. Bol., red blossoms	-.80	1.50	---
1810	" Simpsonii Schw.	-.45	-.80	---
1811	" sp. Richtersveld	-.80	1.50	---
1820	Lithops bella N. E. Br.	1.30	2.50	---
1825	" Eberlanzii, Dtr. et. Schw.	1.10	2.	---
1825b	" Erniana sp. nova Lösch et Tisch	1.50	2.90	---
1827	" Franzisci Dtr.	1.80	3.50	---
1829	" Kuibisensis Dtr.	1.30	2.50	---
1830	" Lesliei N. E. Br., leather brown, marbled color. Beautiful and easy growing	-.50	4.50	---
1838	" pseudotruncatella N. E. Br.	-.60	5.40	---
1840	" pseudotruncatella var. Mundtii Tisch.	-.60	5.40	---
1866	" terricolor N. E. Br.	1.10	2.	---
1876	Mesembrianthemum aureum L.	-.45	-.80	7.20
1880	" caulescens Bainskl.	-.45	-.80	---
1883	" Englerianum S. W. A.	-.50	---	---
1890	Meyerophyllum Meyer Schw., large dark red blossoms, needs large amount of sunshine	-.65	1.20	---
1892	Mitrophyllum fl. albo	1.60	---	---
1894	" sp. Richtersv. (mitratum) 1.30	---	---	---
1900	Odontophorus Marlothii, N. E. new small variety, white haired tooth edge leaves	1.20	2.	---
1913	Ophthalmophyllum sp. nova body red or orange 10 seeds 50 cts	1.20	---	---
1916	Oscularia deltooides Schwant 1.80	---	---	---
1920	Pleiospilos Bolusii N. E. Br., germine Bolusii. Seeds gather- ed in Africa its native land	-.55	1.	---



Echinocactus Saussieri

(No. 176d) easy flowering, flowers violet



Echinocactus Sellowii

(No. 179a) yellow flowers
50 seeds \$-.40



Mamillaria Mölleriana

(No. 459) beautiful hooked spines

Mesembrianthemum (continuat.)		25s.	50s.	500s.
No.		\$	\$	\$
1930	Pleiospilos prismaticus Schwant	-.45	-.80	---
1932	" Roodiae N. E. Br.	-.80	1.50	---
1936	" simulans N. E. Br.	-.55	1.	---
1940	Punctillaria magnipunctata N. E. Br.	1.	---	---
1948	Rimaria Heathii N. E. Br.	1.10	2.	---
1999	many kinds mixed	-.30	2.50	---

Seeds for Beginners

Directions and illustrations on every packet

10 good kinds \$-.60

8 separate Mixtures

Many varieties of 8 species put up in beautiful lithographed packets \$-.50

Other inexpensive seed assortment

86	Assorted Cereus 10 varieties columnar easy growing	40
199	Assorted Echinocactus, 10 varieties	50
260	Assorted Echinocereus, not recommended for beginners	40
322	Assorted Echinopsis, 6 kinds much sought globe cactus	40
544	Assorted Mamillaria, 10 varieties free flowering	50
628	Assorted Opuntia, 10 varieties hardly flowering	40
681	Assorted Pilocereus and Cephalocereus 6 kinds columnar, easy growing, wonder- ful plants	75
688	Assortment of all species 50 kinds	2.50
690	Assortment of all species 10 kinds	60

Astrophyllum assortment

50 Astrophyllum seeds in 5 kinds. Each kind separately packed and correctly named \$-.90